



POZ.	NR REF.	KOD	OPIS
1	11.835.201.081	11835201081/AN	Osłona dyszy zewnętrzna Z501
2	11.835.201.1561	118352011561/AN	Osłona Ø 1,5 mm Z4015
	11.835.201.1571	118352011571/AN	Osłona Ø 2,0 mm Z4020
	11.835.201.1551	118352011551/AN	Osłona Ø 2,2 mm Z4022
	11.835.201.1581	118352011581/AN	Osłona Ø 2,5 mm Z4025
	11.835.201.1591	118352011591/AN	Osłona Ø 3,0 mm Z4030
	11.835.401.1571	118354011571/AN	Osłona Ø 4,0 mm Z4140
	3	11.842.401.160	11842401160/AN
11.842.401.162		11842401162/AN	Osłona dyszy (wewnętrzna) Ø 0,8 mm S3008
11.842.401.1622		118424011622/AN	Osłona dyszy (wewnętrzna) Ø 0,8 mm S3028
4	11.843.021.406	11843021406/AN	Dysza Ø 0,6 mm S2006X 25A (Kjellberg 160/170)
	11.843.021.407	11843021407/AN	Dysza Ø 0,7 mm S2007X 35A (XF)
	11.843.021.408	11843021408/AN	Dysza Ø 0,8 mm S2008X 50/60A (XF)
	11.843.021.409	11843021409/AN	Dysza Ø 0,9 mm S2009X 70-80A (XF)
	11.843.021.410	11843021410/AN	Dysza Ø 1,0 mm S2010X 80-90A (XF)
	11.843.021.411	11843021411/AN	Dysza Ø 1,1 mm S2011X 90-100A (XF)
	11.843.021.412	11843021412/AN	Dysza Ø 1,2 mm S2012X 100/130A (XF)
	11.843.021.414	11843021414/AN	Dysza Ø 1,4 mm S2014X 130/160A (XF)
	11.843.021.416	11843021416	Dysza Ø 1,6 mm S2016X 160A (XF)
	11.843.121.412	11843121412/AN	Dysza Ø 1,2 mm S2112X 100A (XF)
	11.843.121.414	11843121414/AN	Dysza Ø 1,4 mm S2114X 130A (XF)
	11.843.121.416	11843121416	Dysza Ø 1,6 mm S2116X 160A (XF)
5	11.834.321153	11834321153/AN	Pierścień zawirowujący Z111 do S160
6	11.835.221153	11835221153/AN	Pierścień zawirowujący Z101 (3 otwory)
	11.835.221154	11835221154/AN	Pierścień zawirowujący Z102 (2 otwory)

## PerCut 160/170; HiFocus 160i-161i

POZ.	NR REF.	KOD	OPIS
7	11.835.421303	11835421303/AN	Pierścień zawirowujący Z111A
8	11.843.021.310	11843021310/AN	Katoda S002X-XL O2 srebrna
	11.843.021.310	11843021310SC	Katoda S002X-XL O2 srebrny rdzeń
	11.843.021.320	11843021320AG	Katoda S002Y-XL O2 srebrna
	11.843.021.320	11843021320SC	Katoda S002Y-XL O2 srebrny rdzeń
	11.843.121.310	11843121310	Katoda O2 XL S012X
	11.843.121.310	11843121310SC	Katoda O2 XL S012X srebrny rdzeń
9	11.842.401.152	11842401152/AN	Rurka chłodząca S901
10	10.575.052	10575052/AN	O-ring 20×2 silikonowy
11	10.505.946	10505946/AN	O-ring 36,17×2,62 silikonowy